### (19) World Intellectual Property Organization International Bureau



# 

(43) International Publication Date 5 June 2003 (05.06.2003)

PCT

(10) International Publication Number WO 03/045945 A1

- (51) International Patent Classification7: C07D 417/12 (74) Agent: GIDDINGS, Peter, John: GlaxoSmithKline,
- (21) International Application Number: PCT/GB02/05199

(22) International Filing Date: 19 November 2002 (19.11.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

0127805.0 20 November 2001 (20.11.2001) GB

- (71) Applicant (for all designated States except US): SMITHKLINE BEECHAM P.L.C. [GB/GB]: 980 Great West Road, Brentford, Middlesex TW8 9GS (GB),
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): LEONARD, Graham, Stanley [GB/GB]; GlaxoSmithKline, New Frontiers Science Park South, Third Avenue, Harlow, Essex CM19 5AW (GB). LEWIS, Karen, Jane [GB/IT]; GlaxoSmithKline, Via Alessandro Fleming 2, I-37135 Verona (IT). MACKENZIE, Donald, Colin [GB/GB]; GlaxoSmithKline, New Frontiers Science Park South, Third Avenue, Harlow, Essex CM19 5AW (GB).

- Corporate Intellectual Property CN925.1, 980 Great West Road, Brentford, Middlesex TW8 9GS (GB). (81) Designated States (national): AE, AG, AL, AM, AT, AU,
  - AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG. SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW,
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: 5-(4-(2-(N-METHYL-N-(2-PYRIDYL)AMIDO)ETHOXY)BENZYL)THIAZOLIDINE-2,4-DIONE AND PHARMA-CEUTICAL COMPOSITIONS COMPRISING THE SAME

(57) Abstract: A compound, 5-[4-[2-(N-methyl-N-(2-pyridyl)amino)ethoxy]benzyl]thiazolidine-2, 4-dione ('Compound (I)'), or a pharmaceutically acceptable form thereof, in particulate form wherein the median value of the volume mean diameter of the particles is within the reases 600mm to 5 million to 100 million is within the range 500nm to 5 micrometres and medicinal uses thereof.

5- (4-(2-(N-METHYL-N-(2-PYRIDYL) AMIDO) BTHOXY) BENZYL) THIAZOLIDINE-2,4-DIONE AND PHARMACRITICAL COMPOSITIONS COMPRISING THE SAME

This invention relates to novel particulate forms of certain compounds, compositions comprising such compounds and the use of such novel particulate forms and compositions in therapy.

5

10

15

20

25

30

35

40

45

The dry milling of pharmaceutically active compounds to obtain a particle size appropriate for tablet and other formulations is well known in the art. In particular, air jet milling and fluid energy milling (micronising) are favoured because of the reduced risk of contamination.

Wet milling processes have also been disclosed for the preparation of finely divided particles of drug substance to enhance bioavailability. For example, United States Patent 4,540,602 (Freund Industry Company Limited) discloses a process for the preparation of finely divided particles of a sparingly soluble drug substance by dispersal of the drug substance in water in the presence of a substance of high molecular weight and then removing the water from the disperse system. European Patent 0 499 299 (NanoSystems L.L.C) discloses a wet milling procedure for the production of particles of a crystalline drug substance, which particles have a surface modifier adsorbed on the surface in an amount sufficient to maintain an effective average particle size (95 to 99% below) of less than about 400nm. International Patent Application Publication Number WO 99/30687 (SmithKline Beecham PLC) discloses pharmaceutical compositions of bicyclic drug substances, which compositions have a particle size distribution wherein the median value of the volume mean diameter is within the range 350 to 700nm. WO 01/13889 (SmithKline Beecham PLC) discloses pharmaceutical compositions of nabumetone, which compositions have a particle size distribution of nabumetone such that the median particle size is in the range of about 10 micrometres to about 0.55 micrometres. WO 00/18374 (Elan Pharma International Ltd.) discloses controlled release compositions containing a poorly-soluble agent such as a drug.

European Patent 0 306 228 (Beecham Group PLC) relates to certain thiazolidinedione derivatives disclosed as having hypoglycaemic and hypolipidaemic activity. One particular thiazolidinedione disclosed in EP 0 306 228 is 5-[4-[2-(N-methyl-N-(2-pyridyl)amino)ethoxy]benzyl]thiazolidine-2,4-dione (hereinafter referred to as 'Compound (I)'). European Patent 0 658 161 (SmithKline Beecham PLC) discloses certain salts of Compound (I), including the maleate salt at Example 1 thereof.

It is considered that Compound (I) and pharmaceutically acceptable forms thereof have enhanced bioavailability in certain compositions of controlled particle size.

It is also considered that certain compositions of therapeutic agents and pharmaceutically acceptable forms thereof of controlled particle size are particularly advantageous for the preparation of controlled release compositions. Such compositions are particularly useful for; selecting the site of delivery of the therapeutic agent in the human or animal body, for example to avoid adverse physiological responses such as stomach irritation; and for controlling the release of the therapeutic agent to select the desired pharmacokinetic profile, for example to optimise the therapeutic effect.

Accordingly, in a first aspect, the present invention provides Compound (I), or a pharmaceutically acceptable form thereof, in particulate form wherein the median value of the volume mean diameter of the particles is in the range of from 500nm to 5 micrometres, typically less than 1 micrometre.

1

Thus, suitable particle sizes are those wherein the median value of the volume mean diameter of the particles is within the range of 500nm to 5 micrometres;

Suitable particle sizes also include those wherein the median value of the volume mean diameter of the particles is within the range of from 600nm to 5 micrometres, 700nm to 5 micrometres, 800nm to 5 micrometres, 900nm to 5 micrometres or 1000nm to 5 micrometres.

5

10

15

20

25

30

35

40

Suitable particles further include those having a median value of the volume mean diameter of the particles in the range of from: 500nm to 4.5 micrometres, 500nm to 4.0 micrometres micrometres, 500nm to 3.5 micrometres, 500nm to 3.5 micrometres, 500nm to 1.5 micrometres, 500nm to 1.5 micrometres, 500nm to 1.5 micrometres, 500nm to 1.5 micrometres. One such particle size is 500nm to 4.5 micrometres. One such particle size is 500nm to 4.0 micrometres micrometres, One such particle size is 500nm to 3.5 micrometres. One such particle size is 500nm to 2.5 micrometres. One such particle size is 500nm to 2.5 micrometres. One such particle size is 500nm to 2.5 micrometres. One such particle size is 500nm to 1.5 micrometres. One such particle size is 500nm to 1.5 micrometres. One such particle size is 500nm to 1.5 micrometres. One such particle size is 500nm to 1.5 micrometres. One such particle size is 500nm to 1.5 micrometres.

A preferred particle size is that wherein the median value of the volume mean diameter of the particles is in the range of from 500nm to 1000nm.

Particle sizes are measured using conventional particle size measuring techniques, such as light scattering techniques.

The particulate form of Compound (I), or a pharmaceutically acceptable form thereof, is most suitably prepared by wet milling as an aqueous dispersion. The wet milling is preferably carried out using a suitable milling medium in one, two or a plurality of bead mill chambers with a single pass sequentially through the chambers. To reduce contamination from mill materials, the milling medium is preferably ceramic beads of rare earth oxides and is carried out in chambers lined with or constructed from an abrasion-resistant polymer material such as polyamide (e.g. Nylon). If a bead mill of more than one chamber is used, then each chamber may contain beads of a smaller diameter than those in the previous chamber. For example, if a two chamber mill is used, then the beads in the first chamber are suitably of 1.25 mm diameter, and the beads in the second chamber are of 0.4 mm diameter. The milling medium is suitably beads made of zirconia, preferably yttrastabilized zirconia powder.

To assist in further processing, that is the preparation of pharmaceutical formulations for therapeutic use, such as tablets, and injectable dispersions, the wet milling preferably takes place in an aqueous medium, where necessary including one or more excipients such as a soluble carrier suitable for spray drying, a surfactant and/or a stabiliser to maintain the particles in suspension, and an anti-agglomeration agent effective after administration of the pharmaceutical formulation to a patient.

In the aqueous medium to be subjected to the milling, Compound (I), or a pharmaceutically acceptable form thereof, may be present from about 5 to about 50% w/w. At 30% w/w and above there may be difficulties in maintaining a suspension of the Compound (I), or a pharmaceutically acceptable form thereof, during milling, hence suspending and/or stabiliser may be required.

A suitable surfactant is sodium lauryl sulphate.

Suitably, the surfactant or stabiliser is present in the range from about 0.1 to about 0.5% w/w of the aqueous medium.

Preferably the surfactant or stabiliser is present at about 1% by weight of the compound to be processed.

Suitable anti-agglomeration agents are cellulosic thickening agents such as hydroxypropyl methyl cellulose and hydroxyethyl cellulose.

5

25

30

35

40

Suitably, the anti-agglomeration agent is present in the range from about 1% w/w to about 2% w/w of the aqueous medium.

Preferably, the anti-agglomeration agent is present at about 1.5% w/w of the aqueous 10 medium

A suitable combined anti-agglomeration agent and suspending agent is polyvinylpytrolidone.

Suitably, the combined anti-agglomeration agent and suspending agent is present at in the range from about 0.5% w/w to about 10% w/w of the aqueous medium.

15 Preferably, the anti-agglomeration agent and suspending agent is present at about 1.5% w/w of the aqueous medium.

Suitable pharmaceutically acceptable forms of Compound (I) include those described in EP 0 306 228 and EP 0 658 161, especially pharmaceutically acceptable solvates.

20 The suspension is buffered, suitably to a pH of 6.5, to reduce the solubility of Compound (I), or a pharmaceutically acceptable form thereof, during the milling process.

A preferred pharmaceutically acceptable salt of Compound (I) is the maleate salt. A preferred pharmaceutically acceptable solvate of Compound (I) is a hydrate. The free base of Compound (I) is particularly suitable for the process of the

invention due to its reduced aqueous solubility in comparison to the salts and solvates.

As previously discussed herein, the wet milled Compound (I), or a pharmaceutically acceptable form thereof, may be used in the preparation of pharmaceutical compositions.

Accordingly, in a further aspect, there is provided a composition, suitably a

pharmaceutically acceptable composition, comprising a Compound (I), or a pharmaceutically acceptable form thereof, in particulate form, wherein the median value of the volume mean diameter of the particles is in the range of from 500nm to 5 micrometres, typically less than 1 micrometre.

Suitable particle sizes are as mentioned above. One preferred particle size is less than 1 micrometre.

The aqueous dispersion obtained from the milling process may be used directly as a therapeutic agent if prepared under conditions of appropriate hygiene. Using water and other components which meet Ph Eur standards. However, for the preparation of formulations for use in human therapy, it is a preferred method that the aqueous dispersion is converted to a dried powder. This is carried out most suitably by spray drying, typically collecting the product from the dryer using a cyclone separator.

Additional excipients may be added to the milled aqueous suspension to produce a suspension suitable for the spray drying process. Examples of such additional excipients include carriers such as mannitol, sorbitol, lactose, lactitol, xylitol, and starch. A powder composition containing the particulate Compound (f), or a salt thereof, is obtainable as a

composition which has good flowability and is suitable for incorporation into a tablet formulation or a powder formulation for capsules.

A composition of this invention may be in the form of an aqueous dispersion of the particles of Compound (I), or a pharmaceutically acceptable form thereof, typically the product of a wet milling operation. A composition of this invention may also be a powder comprising particles of a Compound (I), or a pharmaceutically acceptable form thereof, typically the product of a spray drying or spray granulation procedure suitably prepared from the particles mentioned above.

As previously discussed herein, certain compositions of therapeutic agents and pharmaceutically acceptable forms thereof of controlled particle size are particularly advantageous for the preparation of controlled release compositions.

10

15

20

25

30

35

40

Accordingly, in a further aspect, the invention provides a controlled release pharmaceutical composition, wherein the therapeutic agent or a pharmaceutically acceptable form thereof of controlled particle size and a pharmaceutically acceptable carrier are combined, wherein the carrier is selected to provide a controlled release of the therapeutic agent, or a pharmaceutically acceptable form thereof.

In another aspect the invention provides a controlled release pharmaceutical composition, comprising a therapeutic agent and a carrier, the therapeutic agent having a controlled particle size and wherein the carrier is selected to provide a controlled release of the therapeutic agent.

The content of the therapeutic agent in the spray dried product is typically in the range of 2 to 90 % w/w.

Suitably, the therapeutic agent is Compound (I), or a pharmaceutically acceptable form thereof.

The milled suspension is mixed with polymers, plasticisers and glidants where appropriate and spray dried to produce a multiparticulate controlled release product. The controlled release product may suitably be filled into capsules or compressed into a disintegrating tablet formulation.

The controlled release dosage form is a multiparticulate dosage form, where the release rate from the dosage form, and transit through the gastrointestinal tract is independent of the presence of food and the time of dosing.

As used herein, the term "controlled release" means a composition which has been designed to produce a desired pharmacokinetic profile by choice of appropriate form of the active ingredient and/or by choice of formulation. An example of a controlled release formulation is a modified release formulation. Controlled release also includes controlled release compositions in combination with non-controlled release compositions.

As used herein "controlled particle size" means particles having sizes as defined herein.

As used herein, the term "modified release" means a composition which has been designed to produce a desired pharmacokinetic profile by choice of formulation. Modified release also includes modified release compositions in combination with non-modified release compositions.

Examples of modified release include delayed, pulsed, and sustained release, either alone or in any combination.

Delayed release may conveniently be obtained by use of a gastric resistant formulation such as an enteric formulation, such as a granule incorporating a gastric resistant polymer, for example Eudragit L100-55. Other gastric resistant polymers include methacrylates, cellulose acetate phthalate, polyvinyl acetate phthalate, hydroxypropyl methylcellulose phthalate, in particular, Aquateric, Sureteric, HPMCP-HP-55S.

5

10

15

20

25

30

35

40

Sustained release means providing release of the active agent over an extended period of time, for example up to 24 hours, typically 4 to 24 hours.

Sustained release is typically provided by the incorporation of a disintegrating, non-disintegrating or eroding polymer into the spray dried product.

Sustained release is suitably obtained by use of a non-disintegrating formulation, for example by incorporating Eudragit RS into the spray dried product. Alternative non disintegrating matrix formulations are provided by incorporating methacrylates, cellulose acetates, hydroxypropyl methylcellulose phthalate, in particular Eudragit L and RL, Carbonol 971P. HPMCP-HP-55S into the formulation.

Sustained release can also be achieved by incorporating a semi-permeable polymer into the spray dried product for example methacrylates, ethylcellulose, cellulose acetate in particular Eudragit RS, or Surelease to the formulation.

Pulsed release means providing doses of the active agent in pulses, for example providing up to 4, for example 2, pulses of active agent per 24 hours.

One form of pulsed release is a combination of non-modified release of active agent and delayed release.

Suitably, a controlled release composition is a modified release composition. Suitably, the modified release composition is a delayed release composition. Suitably, the modified release composition is a sustained release composition. Suitably, the modified release composition is a pulsed release composition. Suitably, the composition of the invention is a combined non-modified and

modified release composition. One example of such a combination provides non-modified and sustained release of active agent, for example non-modified release of 2mg of Compound (I), or a pharmaceutically acceptable form thereof, and sustained release of 8mg of Compound (I) or a pharmaceutically acceptable form thereof, over a 12 hour period; or non-modified release of 2mg of Compound (I), or a pharmaceutically acceptable form thereof, and sustained release of 6mg of Compound (I), or a pharmaceutically acceptable form thereof, and sustained release of 1mg of Compound (I), or a pharmaceutically acceptable form thereof, and sustained release of 7mg of Compound (I), or a pharmaceutically acceptable form thereof, and sustained release of 7mg of Compound (I), or a pharmaceutically acceptable form thereof, over an 18 hour period.

The administration of the therapeutic agent, or a pharmaceutically acceptable form thereof, in particulate form to a mammal may be by way of oral, parenteral, buccal, sub-lingual, nasal, pulmonary, ocular, vaginal, rectal or transdermal administration. Transdermal administration includes sprays, patches, creams, and ointments.

A suitable dosage form for the spray dried controlled release product, is a tablet or capsule. The release of the therapeutic agent, or a pharmaceutically acceptable form thereof, can be further delayed by the addition of a coat to the tablet or capsule.

In particular the milled suspension of Compound (I) or a pharmaceutically acceptable form thereof is suitable for formulation for delivery by inhalation.

For example, the milled suspension is spray dried with a suitable carrier, for example lactose, with the particle size of the spray dried product being controlled to be within the range of 1 to 5 micrometres. The spray dried product may then be inhaled, using, for example, a suitable device such as a dry powder dispenser.

5

10

15

25

30

35

40

45

Alternatively, the milled suspension, without further processing, may be placed in a suitable pressurised device, for example a metered dose aerosol device, from which the product may be inhaled.

It is also considered that the inhaled formulations of Compound (I) or a pharmaceutically acceptable form thereof, are suitable for combination with insulin to provide a combination formulation for inhalation. These combination formulations may be in the form of a spray-dried product for inhalation as a dry powder, or for inhalation as a suspension from, for example, a metered dose inhaler.

Accordingly, there is provided a pharmaceutical composition comprising Compound (I) or a pharmaceutically acceptable form thereof in combination with insulin. Suitably, the formulations for delivery by inhalation contain Compound (I) as the active ingredient.

Aerosol devices may be prepared using conventional methods well-known in the 20 art. Formulations suitable for use in aerosol devices suitably include surfactants such as lecithin.

Suitable propellants for aerosol devices include chlorofluorocarbons such as trichloromethane, dichlorofluoromethane, and hydrofluoroalkane.

Solid oral compositions may be prepared by conventional methods of blending, filling, tabletting or the like. Repeated blending operations may be used to distribute the active agent throughout those compositions employing large quantities of fillers. Such operations are, of course, conventional in the art.

Tablets and capsules for oral administration are usually presented in a unit dose, and contain conventional excipients such as binding agents, fillers, diluents, tabletting agents (compression aids), lubricants, disintegrants, colorants, flavourings, and wetting agents. The tablets may be coated according to well known methods in the art.

Examples of binding agents include acacia, alginic acid, carboxymethylcellulose calcium, carboxymethylcellulose sodium, dextrates, dextrin, dextrose, ethylcellulose, gelatin, liquid glucose, guar gum, hydroxyethyl cellulose, hydroxypropyl cellulose, hydroxypropyl methylcellulose, magnesium aluminium silicate, maltodextrin, methyl cellulose, polymethacrylates, polyvinylpyrrolidone, pregelatinised starch, sodium alginate, sorbitol, starch, syrup, tragacanth.

Examples of fillers include calcium carbonate, calcium phosphate, calcium sulphate, carboxymethylcellulose calcium, carboxymethylcellulose sodium, compressible sugar, confectioner's sugar, dextrates, dextrin, dextrose, dibasic calcium phosphate dihydrate, dibasic calcium phosphate, fructose, glyceryl palmitostearate, glycine, hydrogenated vegetable oil-type 1, kaolin, lactose, maize starch, magnesium carbonate, magnesium oxide, maltodextrin, mannitol, microcrystalline cellulose, polymethacrylates, potassium chloride, powdered cellulose, pregelatinised starch, sodium chloride, sorbitol, starch, sucrose, sugar spheres, talc, tribasic calcium phosphate, xylitol.

Examples of lubricants include calcium stearate, glyceryl monostearate, glyceryl palmitostearate, magnesium stearate, microcrystalline cellulose, sodium benzoate, sodium holoride, sodium lauryl sulphate, stearic acid, sodium stearyl fumarate, talc, zinc stearate. Examples of glidants include colloidal silicon dioxide, powdered cellulose,

magnesium trisilicate, silicon dioxide, talc. Examples of disintegrants include alginic acid, carboxymethylcellulose calcium, carboxymethylcellulose sodium, colloidal silicon dioxide, croscarmellose sodium, crospovidone, magnesium aluminium silicate, microcrystalline cellulose, methyl cellulose, polyvinylpyrrolidone, polacrilin potassium, pregelatinised starch, sodium aleinate, sodium starch glvcollate.

5

10

15

20

30

35

40

45

An example of a pharmaceutically acceptable wetting agent is sodium lauryl sulphate.

As required the solid oral compositions may be prepared by conventional methods of blending, filling or tabletting. Repeated blending operations may be used to distribute the active agent throughout those compositions employing large quantities of fillers. Such operations are of course conventional in the art. The tablets may be coated according to methods well known in normal pharmaceutical practice.

Compositions other than solid oral compositions may contain excipients such as carriers, formulation bases, surfactants, emulsifiers, and penetration enhancers, and are prepared using techniques known in the art.

Suitable carriers and formulation bases include water, liquid paraffin, white soft paraffin, mygliol, polyethylene glycol, glycerol, carbomer, hydroxypropylmethyl cellulose, and methyl cellulose.

 $Suitable \ surfactants \ and \ emulsifiers \ include \ cetostearyl \ alcohol \ and \ sodium \ lauryl \ 25 \\ sulphate.$ 

Suitable penetration enhancers include ethanol, propylene glycol, oleic acid, decylmethyl sulphoxide, dimethyl sulphoxide, dimethyl acetamide, dimethyl formamide, 2-pyrrolidone, N-methyl-2-pyrrolidone, and azone.

Compositions may, if desired, be in the form of a pack accompanied by written or printed instructions for use.

A unit dose will normally contain 0.01 to 1000 mg of Compound (I) or a pharmaceutically acceptable form thereof..

Suitable unit doses for 1 to 100 mg, for example an amount in the range of from 2 to 50 mg such as 2, 4, 8, 10, and 12 mg of the active compound.

No adverse toxicological effects are expected for the compositions of the invention in the above mentioned dosage ranges.

The above mentioned publications, including published patent applications and patents, are incorporated herein by reference as though fully set forth herein.

The following Examples illustrate the invention but do not limit it in any way. Examples 1 and 2 are typical examples of a suspension for wet bead milling and spray drying of the milled suspension. Examples 3-7 are suitable formulations to produce a spray dried powder with modified release of Compound (I). Example 8 is a typical formulation for a compressed tablet produced from the spray dried material. The examples all produce a modified release dissolution profile (either in capsule or tablet form), where there is no or reduced drug release in an acid environment similar to that of

the stomach, compared to an immediate release tablet, with subsequent release over 6-8 hours in a higher pH similar to that of the small intestine.

A suitable bead mill is the AP0010 mill from Nylacast Ltd., Leicester, UK. Bead mills manufactured by others such as Dena Systems BK Ltd., Barnsley, UK; Drais GmbH, Mannheim, Germany; or Netzsch GmbH, Selb, Germany could also be used for the wet milling drug substances.

A 500g batch of an aqueous suspension containing 10% w/w of compound 1 (for preparation see Example 1) was passed through a Dena DM-100 bead mill, a single chamber mill, in either a single pass or recirculation configuration, containing 85% by volume of yttrium stabilised 0.3mm zirconium oxide beads (from Tosoh, Japan). The chamber pressure during processing varied between 0.1 and 0.2MPa (1 and 2 bar; 14 and 28 psi). The yield exceeded 85%. The finely milled suspension was subsequently spray dried with addition of other excipients as required.

The milled suspensions were spray dried using a Mobile Minor Spray Dryer, manufactured by Niro Ltd, Denmark. In this apparatus, the aqueous suspension from the 15 mill is fed by pump into a drying chamber as an atomised spray. The dried powder passes into a cyclone separator from which powdered product is removed. The spray dryer was operated in accordance with the manufacturers instructions at the following settings:

20	Machine Settings	Atomiser Speed	about 15,000 rpm
		Exhaust Fan/Heater	Setting II
		Pump Speed	20 rpm
		Inlet Temperature	85°C
		Outlet Temperature	35°C

25

30

40

5

10

#### Examples

## 1. Suspension for Wet Bead Milling

	,,,,,,
	10
	1.5
to	100
	to

Particle size as measured using conventional light scattering techniques, have D10 and D90 values, of 300nm to 3 micrometres respectively.

0/xx/xx

#### 35 2. Suspension of Compound I for Spray Drying

Milled Suspension of Compound I		%w/w 70
(as in Example 1) Mannitol Water	to	14 100

## 3. Suspension of Compound I + Polymer for Spray Drying

%w/w 12 Milled Suspension of Compound I

(as in Example 1) 45

Triethyl Citrate		Eudragit L 30D (30% dispersion)		44	
A.   Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and no talc with reduced polymer content and talc with reduced polymer content and Mannitol				0.5	
4. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and no tale		Talc		0.5	
with reduced polymer content and no talc Milled Suspension of Compound I 20  Eudragit L 30D (30% dispersion) 40  Triethyl Citrate 1.0  S. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and Mannitol 8 w/w  Milled Suspension of Compound I = 26  (as in Example 1) 26  Eudragit L 30D (30% dispersion) 37  Mannitol 0,5  Water to 100  S. Suspension of Compound I + Polymer for Spray Drying with combination of polymers		Water	to	100	
with reduced polymer content and no talc Milled Suspension of Compound I 20  Eudragit L 30D (30% dispersion) 40  Triethyl Citrate 1.0  S. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and Mannitol 8 w/w  Milled Suspension of Compound I = 26  (as in Example 1) 26  Eudragit L 30D (30% dispersion) 37  Mannitol 0,5  Water to 100  S. Suspension of Compound I + Polymer for Spray Drying with combination of polymers	5				
with reduced polymer content and no talc Milled Suspension of Compound I 20  Eudragit L 30D (30% dispersion) 40  Triethyl Citrate 1.0  S. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and Mannitol 8 w/w  Milled Suspension of Compound I = 26  (as in Example 1) 26  Eudragit L 30D (30% dispersion) 37  Mannitol 0,5  Water to 100  S. Suspension of Compound I + Polymer for Spray Drying with combination of polymers		4. Suspension of Compound I + Pol	ymer fo	r Spray	Drying
Milled Suspension of Compound I       20         (as in Example 1)       40         Eudragit L 30D (30% dispersion)       40         Triethyl Citrate       1.0         Water       to 100         5. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and Mannitol       %w/w         Milled Suspension of Compound I       26         (as in Example 1)       37         Budragit L 30D (30% dispersion)       37         Mannitol       0.5         Water       to 100         6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers       %w/w         Milled Suspension of Compound I       17         (as in Example 1)       1         Eudragit L 30D (30% dispersion)       32         Eudragit NE (30% dispersion)       8					
(as in Example 1)       40         Eudragit L 30D (30% dispersion)       40         Triethyl Citrate       1.0         Water       to 100         5. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and Mannitol www         with educed polymer content and Mannitol with reduced polymer content and Mannitol www         Milled Suspension of Compound I       26         (as in Example 1)       37         Eudragit L 30D (30% dispersion)       0.5         Water       to 100         6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers       %w/w         Milled Suspension of Compound I       17         (as in Example 1)       Eudragit L 30D (30% dispersion)       32         Eudragit NE (30% dispersion)       8		Milled Suspension of Compound I		20	
Triethyl Citrate					
Water         to         100           5. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and Mannitol www         Www           willed Suspension of Compound I (as in Example 1)         26           Eudragit L 30D (30% dispersion)         37           Mannitol         0.5           Water         to         100           6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers         %w/w           Milled Suspension of Compound I (as in Example 1)         17           Eudragit L 30D (30% dispersion)         32           Eudragit NE (30% dispersion)         8	10	Eudragit L 30D (30% dispersion)		40	
5. Suspension of Compound I + Polymer for Spray Drying with reduced polymer content and Mannitol %w/w Milled Suspension of Compound I 26 (as in Example I) 26 (as in Example I) 37 Mannitol 0.5 Water to 100  6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers %w/w Milled Suspension of Compound I 17 (as in Example I) 12 Undrajit I. 30D (30% dispersion) 32 Eudrajit I. 30 (30% dispersion) 8		Triethyl Citrate		1.0	
with reduced polymer content and Mannitol Milled Suspension of Compound I (as in Example 1) Eudragit L 30D (30% dispersion) Mannitol Water to  6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers With Combination of Compound I (as in Example 1) Eudragit L 30D (30% dispersion)  32 Eudragit NE (30% dispersion)  8		Water	to	100	
with reduced polymer content and Mannitol Milled Suspension of Compound I (as in Example 1) Eudragit L 30D (30% dispersion) Mannitol Water to  6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers With Combination of Compound I (as in Example 1) Eudragit L 30D (30% dispersion)  32 Eudragit NE (30% dispersion)  8					
Milled Suspension of Compound I (as in Example 1)       26         Eudragit L 30D (30% dispersion)       37         Mannitol       0.5         Water       to       100         6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers       %w/w         Milled Suspension of Compound I (as in Example 1)       17         Eudragit L 30D (30% dispersion)       32         Eudragit NE (30% dispersion)       8		5. Suspension of Compound I + Pol	ymer fo	r Spray	Drying
(as in Example 1)       37         Eudragit L 30D (30% dispersion)       35         Mannitol       0.5         Water       to 100         6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers       %w/w         Milled Suspension of Compound I       17         (as in Example 1)       1         Eudragit L 30D (30% dispersion)       32         Eudragit NE (30% dispersion)       8	15		1annitol	%w/w	
Eudragit L 30D (30% dispersion)   37		Milled Suspension of Compound I		26	
Mannitol   0.5		(as in Example 1)			
Water         to         100           6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers         %w/w           Milled Suspension of Compound I (as in Example 1)         17           Loudragit I. 30D (30% dispersion)         32           Eudragit NE (30% dispersion)         8					
6. Suspension of Compound I + Polymer for Spray Drying with combination of polymers %w/w Milled Suspension of Compound I 17 (as in Example 1) Eudragit L 30D (30% dispersion) 32 Eudragit NE (30% dispersion) 8		Mannitol			
with combination of polymers %w/w Milled Suspension of Compound I 17 (as in Example 1) Eudragit L 30D (30% dispersion) 32 Eudragit NE (30% dispersion) 8	20	Water	to	100	
with combination of polymers %w/w Milled Suspension of Compound I 17 (as in Example 1) Eudragit L 30D (30% dispersion) 32 Eudragit NE (30% dispersion) 8					
Milled Suspension of Compound I 17 (as in Example 1) Eudragit L 30D (30% dispersion) 32 Eudragit NE (30% dispersion) 8			ymer fo		Drying
(as in Example 1) Eudragit L 30D (30% dispersion) 32 Eudragit NE (30% dispersion) 8					
Eudragit L 30D (30% dispersion) 32 Eudragit NE (30% dispersion) 8				17	
Eudragit NE (30% dispersion) 8	25				
• •					
		• •		-	
water to 100		Water	to	100	
	20	7 Comment of Comment I + Dol	fa	n Canor	Desing
7 Cumonaian of Compound I + Polymer for Spray Drying	30		yilici 10		
7. Suspension of Compound I + Polymer for Spray Drying					
with a different polymer %w/w				12	
with a different polymer %w/w Milled Suspension of Compound I 12				87	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1)	25				
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example I) Sureteric 15 % dispersion 87	33				
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1) Sureteric 15 % dispersion 87 Triethyl Citrate 0.5			to		
with a different polymer         %w/w           Milled Suspension of Compound I         12           (as in Example 1)         87           Sureteric 15 % dispersion         87           Triethyl Citrate         0.5           Talc         0.5		water	10	100	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1) Sureteric 15 % dispersion 87 Triethyl Citrate 0.5		8. Disintegrating Modified Release	Tablet		
with a different polymer         %w/w           Milled Suspension of Compound I         12           (as in Example 1)         87           Sureteric 15 % dispersion         87           Triethyl Citrate         0.5           Talc         0.5           Water         100	40				
with a different polymer       %w/w         Milled Suspension of Compound I       12         (as in Example 1)       87         Sureteric 15 % dispersion       87         Triethyl Citrate       0.5         Talc       0.5         Water       to 100         8. Disintegrating Modified Release Tablet		r			mg/tablet
with a different polymer		SD Granules (equivalent to 8mg pft	Compo	ound I)	102
with a different polymer       %w/w         Milled Suspension of Compound I       12         (as in Example I)       87         Sureteric 15 % dispersion       87         Triethyl Citrate       0.5         Talc       0.5         Water       to         8. Disintegrating Modified Release Tablet         Compression of spray dried material       mg/tablet		Microcrystalline Cellulose	•		165
With a different polymer		Sodium starch glycolate			30
with a different polymer Milled Suspension of Compound I 12 (as in Example 1) Sureteric 15 % dispersion 87 Triethyl Citrate 0.5 Talc 0.5 Water to 100  8. Disintegrating Modified Release Tablet Compression of spray dried material  SD Granules (equivalent to 8mg pfb Compound I) Microcrystalline Cellulose 165	45	Magnesium stearate			3
THE CONTRACTOR OF THE CONTRACT	25 30 35	with combination of polymers Milled Suspension of Compound I (as in Example 1) Eudragit L 30D (30% dispersion) Eudragit NE (30% dispersion) Water  7. Suspension of Compound I + Pol with a different polymer Milled Suspension of Compound I (as in Example 1) Sureteric 15 % dispersion Triethyl Citrate Talc Water  8. Disintegrating Modified Release	to ymer fo to Tablet	%w/w 17 32 8 100 r Spray %w/w 12 87 0.5 0.5	Drying
	20	7 Comment of Comment I + Dol	fa	n Canor	Desing
7 Cumonaian of Compound I + Polymer for Spray Drying	30		yilici 10		
with a different polymer %w/w				12	
with a different polymer %w/w Milled Suspension of Compound I 12					
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1)		Sureteric 15 % dispersion		87	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1)	35	Triethyl Citrate		0.5	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example I) Sureteric 15 % dispersion 87	55				
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example I) Sureteric 15 % dispersion 87		Talc		0.5	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example I) Sureteric 15 % dispersion 87		Tale		0.5	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1)		Talc		0.5	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1) Sureteric 15 % dispersion 87 Triethyl Citrate 0.5		Taic		0.5	
with a different polymer %w/w Milled Suspension of Compound I 12 (as in Example 1) Sureteric 15 % dispersion 87 Triethyl Citrate 0.5		XX7.4	+-	100	
with a different polymer         %w/w           Milled Suspension of Compound I         12           (as in Example 1)         87           Sureteric 15 % dispersion         87           Triethyl Citrate         0.5           Talc         0.5		Water	to	100	
with a different polymer         %w/w           Milled Suspension of Compound I         12           (as in Example 1)         87           Sureteric 15 % dispersion         87           Triethyl Citrate         0.5           Talc         0.5					
with a different polymer         %w/w           Milled Suspension of Compound I         12           (as in Example 1)         87           Sureteric 15 % dispersion         87           Triethyl Citrate         0.5           Talc         0.5		8 Disintegrating Modified Release	Tablet		
with a different polymer         %w/w           Milled Suspension of Compound I         12           (as in Example I)         87           Triethyl Citrate         0.5           Talc         0.5           Water         to         100	40				
with a different polymer       %w/w         Milled Suspension of Compound I       12         (as in Example 1)       87         Sureteric 15 % dispersion       87         Triethyl Citrate       0.5         Talc       0.5         Water       to 100         8. Disintegrating Modified Release Tablet					mg/tablet
with a different polymer       %w/w         Milled Suspension of Compound I       12         (as in Example I)       87         Sureteric 15 % dispersion       87         Triethyl Citrate       0.5         Talc       0.5         Water       to         8. Disintegrating Modified Release Tablet         Compression of spray dried material       mg/tablet		SD Granules (equivalent to 8mg pft	Compo	ound I)	102
With a different polymer		Microcrystalline Cellulose			165
With a different polymer					
with a different polymer	4.5				
with a different polymer       %w/w         Milled Suspension of Compound I cas in Example 1)       12         Useretric 15 % dispersion       87         Triethyl Citrate       0.5         Talc       0.5         Water       to       100         8. Disintegrating Modified Release Tablet       Compression of spray dried materia         Compression of spray dried materia       Ing/tablet         SD Granules (equivalent to 8mg pfb Compound I)       102         Microcrystalline Cellulose       165         Sodium starch glycolate       30	45	Magnesium stearate			3

#### CLAIMS

5

A compound, 5-[4-[2-(N-methyl-N-(2-pyridy)]amino)ethoxy]benzy]thiazolidine-2,4-dione ('Compound (I)'), or a pharmaceutically acceptable form thereof, in particulate form wherein the median value of the volume mean diameter of the particles is within the range 500nm to 5 micrometres.

10

- 2. A compound according to claim 1, wherein the median value of the volume mean diameter of the particles is less than 1 micrometre.
- A compound according to claim 1 or claim 2, wherein the median value of the
   volume mean diameter of the particles is in the range of from 500nm to 1000nm.
  - A compound according to any one of claims 1 to 3, when prepared by wet milling, suitably as an aqueous dispersion.
- A compound according to any one of claims 1 to 4, being the maleate salt of Compound (I).
  - 6. A compound according to any one of claims 1 to 4, being Compound (I).
- 25 7. A pharmaceutical composition comprising a Compound (I), or a pharmaceutically acceptable form thereof, in particulate form, with a particle size of less than 1 micrometre.
- A controlled release pharmaceutical composition, comprising Compound (I), or a pharmaceutically acceptable form thereof (the therapeutic agent) and a carrier, the

  the trapeutic agent having a controlled particle size and wherein the carrier is selected to provide a controlled release of the therapeutic agent.

#### INTERNATIONAL SEARCH REPORT

onal Application No Full GB 02/05199

Relevant to claim No.

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C07D417/12

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

Minimum documentation searched (dassification system followed by classification symbols) IPC 7 CO7D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, CHEM ABS Data

C. DOCUME	ENTS CONSIDERED TO BE HELEVANT	
Category 9	Citation of document with indication, where appropriate of the relev	rant naccanos

Guiogery	Olimina and the state of the st	1001010
A	WO 00 18374 A (ELAN PHARMA INTERNATIONAL LTD) 6 April 2000 (2000-04-06) cited in the application claims 1,2; figures	1-8
А	EP 0 499 299 A (STERLING WINTHROP INC) 19 August 1992 (1992-08-19) cited in the application claims; examples	1-8
А	COX, PETER J. ET AL: "Absorption, disposition, and metabolism of rosiglitazone, a potent thiazolidinedione insulin sensitizer, in humans" DRUB METABOLISM AND DISPOSITION ( 2000 ), 28(7), 772-780, XP002230724 page 775 -page 779	1-8

X Patent family members are listed in annex

- "A" document defining the general state of the lart which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international
- filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another diation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

## \*T\* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to trivolve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-ments, such combination being obvious to a person skilled
- '&' document member of the same patent family

04/03/2003

Fazzi, R

Date of the actual completion of the international search Date of mailing of the international search report

### 11 February 2003

Fax: (+31-70) 340-3016

Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel (+31-70) 340-2040, Tx. 31 651 epo nt,

Form PCT/ISA/210 (second sheet) (July 1992)

Special categories of cited documents:

## INTERNATIONAL SEARCH REPORT

In tional Application No Fui/GB 02/05199

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 0018374	Α	06-04-2000	US	2002012675 A1	31-01-2002
			AU	6283299 A	17-04-2000
			CA	2346001 A1	06-04-2000
			EP	1117384 A1	25-07-2001
			JP	2002525311 T	13-08-2002
			WO	0018374 A1	06-04-2000
EP 0499299	Α	19-08-1992	US	5145684 A	08-09-1992
			ΑT	184202 T	15-09-1999
			ΑT	195416 T	15-09-2000
			AU	642066 B2	07-10-1993
			AU	1014592 A	30-07-1992
			AU	654836 B2	24-11-1994
			AU	1014792 A	30-07-1992
			CA CA	2059431 A1	26-07-1992
			DE	2059432 A1 69229925 D1	26-07-1992 14-10-1999
			DE	69229925 T2	17-02-2000
			DE	69231345 D1	21-09-2000
			DE	69231345 T2	26-04-2001
			DK	498482 T3	27-03-2000
			DK	499299 T3	02-01-2001
			EP	0498482 A2	12-08-1992
			ĒΡ	0499299 A2	19-08-1992
			ĒS	2139586 T3	16-02-2000
			ËŠ	2149164 T3	01-11-2000
			FΪ	920321 A	26-07-1992
			FΙ	920322 A	26-07-1992
			GR	3032059 T3	31-03-2000
			GR	3034759 T3	28-02-2001
			HU	62462 A2	28-05-1993
			HU	60635 A2	28-10-1992
			ΙE	920217 A1	29-07-1992
			ΙE	920218 A1	29-07-1992
			ΙL	100754 A	16-10-1996
			ΙL	100755 A	08-12-1995
			JP	4317053 A	09-11-1992
			JP	4295420 A	20-10-1992
			KR MX	200061 B1 9200291 A1	15-06-1999 01-10-1992
			MX	9200291 A1 9200292 A1	01-10-1992
			NO	920333 A	27-07-1992
			NO	920333 A	27-07-1992
			NZ	241361 A	25-06-1993
			NZ	241362 A	25-06-1993
			PΤ	499299 T	31-01-2001
			SG	55104 A1	21-12-1998
			RU	2074002 C1	27-02-1997
			RU	2066553 C1	20-09-1996
			US	5451393 A	19-09-1995
			US	5494683 A	27-02-1996
			US	5552160 A	03-09-1996
			US	5399363 A	21-03-1995
			US	5318767 A	07-06-1994